Page 1/10



Safety data sheet according to 1907/2006/EC, Article 31

AKEMI[®]

nting date 24.08.2022	Version number 2 (replaces version 1)	
SECTION 1: Identification of	the substance/mixture and of the company/undert	aking
1.1 Product identifier Trade name:	Stone Cleaner	
Article number: UFI:	10808, 10812, 10813 23RJ-Q4XQ-Q014-PA6H	
1.2 Relevant identified uses of the substance or mixture and	<u>d</u>	
uses advised against Application of the substance / t		
mixture	Cleaning agent/ Cleaner	
1.3 Details of the supplier of Manufacturer/Supplier:	the safety data sheet AKEMI chemisch technische Spezialfabrik Gmbł Lechstrasse 28 D 90451 Nürnberg	H Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de
Further information obtainable from:	Laboratory	C C
<u>1.4 Emergency telephone</u> number:	Product Safety Department AKEMI chemisch teo Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.n Friday from 07:30 a.m. to 13:30 p.m.	
SECTION 2: Hazards identifie 2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser	stance or mixture gulation (EC) No 1272/2008	
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008	stance or mixture gulation (EC) No 1272/2008 ious eye damage.	to the CLP regulation.
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion	to the CLP regulation.
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion	to the CLP regulation.
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according t GHS05 GHS05 Danger	to the CLP regulation.
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining componer	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according t GHS05 Danger nts of	
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according t GHS05 GHS05 Danger	
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining component labelling:	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according to GHS05 Danger hts of Alcohols, C13-C15 branched and linear, ethoxyla H318 Causes serious eye damage. P101 If medical advice is needed, h hand.	ated nave product container or label at
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining component labelling: Hazard statements	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according t GHS05 Danger nts of Alcohols, C13-C15 branched and linear, ethoxyla H318 Causes serious eye damage. P101 If medical advice is needed, h hand. P102 Keep out of reach of children.	ated nave product container or label at
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining component labelling: Hazard statements	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according t GHS05 Danger Alcohols, C13-C15 branched and linear, ethoxyla H318 Causes serious eye damage. P101 If medical advice is needed, h hand. P102 Keep out of reach of children. P103 Read carefully and follow all in P280 Wear protective gloves / eye p P305+P351+P338 IF IN EYES: Rinse cautiously Remove contact lenses, if pr	ated have product container or label at nstructions. protection.
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining component labelling: Hazard statements Precautionary statements Additional information: 2.3 Other hazards	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according to GHS05 Danger Alcohols, C13-C15 branched and linear, ethoxylat H318 Causes serious eye damage. P101 If medical advice is needed, h hand. P102 Keep out of reach of children. P103 Read carefully and follow all in P280 Wear protective gloves / eye p P305+P351+P338 IF IN EYES: Rinse cautiously Remove contact lenses, if pr rinsing. Contains isoeugenol. May produce an allergic read	ated nave product container or label at nstructions. protection. y with water for several minutes. esent and easy to do. Continue
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining component labelling: Hazard statements Precautionary statements Additional information: 2.3 Other hazards Results of PBT and vPvB asset	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according t GHS05 Danger Alcohols, C13-C15 branched and linear, ethoxyla H318 Causes serious eye damage. P101 If medical advice is needed, h hand. P102 Keep out of reach of children. P103 Read carefully and follow all in P280 Wear protective gloves / eye p P305+P351+P338 IF IN EYES: Rinse cautiously Remove contact lenses, if pr rinsing. Contains isoeugenol. May produce an allergic reasessment	ated nave product container or label at nstructions. protection. y with water for several minutes. esent and easy to do. Continue
2.1 Classification of the subs Classification according to Reg Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulati (EC) No 1272/2008 Hazard pictograms Signal word Hazard-determining component labelling: Hazard statements Precautionary statements Additional information: 2.3 Other hazards	stance or mixture gulation (EC) No 1272/2008 ious eye damage. ion The product is classified and labelled according to GHS05 Danger Alcohols, C13-C15 branched and linear, ethoxylat H318 Causes serious eye damage. P101 If medical advice is needed, h hand. P102 Keep out of reach of children. P103 Read carefully and follow all in P280 Wear protective gloves / eye p P305+P351+P338 IF IN EYES: Rinse cautiously Remove contact lenses, if pr rinsing. Contains isoeugenol. May produce an allergic read	ated nave product container or label at nstructions. protection. y with water for several minutes. esent and easy to do. Continue



Safety data sheet

according to 1907/2006/EC, Article 31 Version number 2 (replaces version 1)

Printing date 24.08.2022

Revision: 24.08.2022

Trade name: Stone Cleaner

(Contd. of page 1)

EU

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:	Mixture of substances listed below with nonhazardous additions.			
· Dangerous components:				
157627-86-6	Alcohols, C13-C15 branched and linear, ethoxylated	12.5-25%		
	Eye Dam. 1, H318 Acute Tox. 4, H302			
	Aquatic Chronic 3, H412			
112-34-5	2-(2-butoxyethoxy)ethanol	<12.5%		
	Eye Irrit. 2, H319			
37199-81-8	Maleic acid, polymer with diisobutene, sodium salt	1-5%		
	Eye Irrit. 2, H319			
97-54-1	isoeugenol	<1%		
	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317			
	Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.01 \%$			
· Regulation (EC) No 648/2004 on detergents / Labelling for contents				
non-ionic surfactants ≥15 - <30%				
perfumes, 4-tert-butylcyclohexyl acetate <5%				
• Additional information: For the wording of the listed hazard phrases refer to section 16.				

SECTION 4: First aid measures

· 5 1 Extinguishing media

· 4.1 Description of first aid measures

· General information:	Take affected persons out into the fresh air.
	Immediately remove any clothing soiled by the product.
· After inhalation:	Supply fresh air; consult doctor in case of complaints.
· After skin contact:	Rinse with warm water.
	Immediately wash with water and soap and rinse thoroughly.
· After eye contact:	Rinse opened eye for several minutes under running water. Then consult a
	doctor.
· After swallowing:	If symptoms persist consult doctor.
4.2 Most important symptoms	
and effects, both acute and	
delayed	No further relevant information available.
4.3 Indication of any immediate	
medical attention and special	
treatment needed	No further relevant information available.
SECTION 5: Firefighting measur	es

· Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
• 5.2 Special hazards arising from	
the substance or mixture	No further relevant information available.
5.3 Advice for firefighters	
· Protective equipment:	No special measures required.
	(Contd. on page 3)



Page 3/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.08.2022

Version number 2 (replaces version 1)

Revision: 24.08.2022

Trade name: Stone Cleaner

(Contd. of page 2)

SECTION 6: Accidental release measures · 6.1 Personal precautions, protective equipment and Particular danger of slipping on leaked/spilled product. emergency procedures · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Dispose of the material collected according to regulations. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. See Section 7 for information on safe handling. · 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Information about fire - and explosion protection: 	Ensure good ventilation/exhaustion at the workplace. No special measures required.
· 7.2 Conditions for safe storage, i	ncluding any incompatibilities
· <u>Storage:</u>	
 Requirements to be met by 	
storerooms and receptacles:	No special requirements.
· Information about storage in one	
common storage facility:	Not required.
· Further information about storage	
conditions:	Protect from frost.
· Storage class:	12
7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
112-34-5 2-(2-butoxyethoxy)ethanol			
IOELV Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm			
DNELS			
112-34-5 2-(2-butoxyethoxy)ethanol			
Oral	DNEL (Langzeit-wiederholt)	5 mg/kg bw/day (BEV)	
Dermal	DNEL (Langzeit-wiederholt) 83 mg/kg bw/day (ARB)		
	50 mg/kg bw/day (BEV)		
Inhalative	Inhalative DNEL (Kurzzeit-akut) 101.2 mg/m³ Air (ARB)		
	7.5 mg/m³ Air (BEV)		
DNEL (Langzeit-wiederholt) 67.5 mg/m ³ Air (ARB)			
(Contd. on page 4)			



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.08.2022

Version number 2 (replaces version 1)

Revision: 24.08.2022

Trade name: Stone Cleaner

		(Contd. of page 3)	
		40.5 mg/m³ Air (BEV)	
· <u>PNECs</u>			
112-34-5 2-(2-butoxyethoxy)ethanol			
PNEC (wässrig)	• • •		
	0.1 mg/l (MW)		
	1 mg/l (SW)		
	3.9 mg/l (WAS)		
PNEC (fest)	0.32 mg/kg Trocke	c ()	
	0.44 mg/kg Trocke		
	4.4 mg/kg Trockengew (SWS)		
· Additional inform	ation:	The lists valid during the making were used as basis.	
8.2 Exposure co			
Appropriate engi		No further data; see item 7. n as personal protective equipment	
· General protectiv			
measures:		Immediately remove all soiled and contaminated clothing	
		Wash hands before breaks and at the end of work.	
		Do not inhale gases / fumes / aerosols. Avoid contact with the eyes.	
· Respiratory prote		Not necessary if room is well-ventilated.	
		In case of brief exposure or low pollution use respiratory filter device. In case of	
		intensive or longer exposure use self-contained respiratory protective device.	
· <u>Hand protection</u>		Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.	
		Skin protection agent recommendation for preventive skin shelter in application	
		and combination of protective gloves:	
		STOKO EMULSION (http://www.stoko.com)	
		STOKODERM (http://www.stoko.com) Skin protection recommendation for skin cleaning after product handling:	
		FRAPANTOL (http://www.stoko.com)	
		Skin protection agent recommendation for skin aftercare:	
		STOKO VITAN (http://www.stoko.com)	
		The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g.	
		the above listed protection glove type. The mentioned permeation times' data	
		were generated and verified with material samples of the recommended	
		protection glove type in the scope of laboratory anylyses of the company KCL	
		GmbH in compliance with EN374. This recommendation refers exclusively to the material safety data sheet	
		referenced product delivered by Akemi and the indicated field of application. In	
		case of product dilution or in case of mixture with different substances or	
		chemicals, and in condition of EN374 deviation the producer of CE-approved	
		protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).	
		Protective gloves	
		The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.	
		Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.	
		Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation	



Safety data sheet according to 1907/2006/EC, Article 31

nting date 24.08.2022	Version number 2 (replaces version 1)	Revision: 24.08.2022
de name: Stone Cleaner		
		(Contd. of page 4)
Material of gloves	Butyl rubber, BR	ally depend on the meterial but
	The selection of the suitable gloves does not on also on further marks of quality and varies from	
	As the product is a preparation of several substan	
	material can not be calculated in advance and ha	
	to the application.	· ·
Penetration time of glove material	Value for the permeation: Level \leq 6, 480 min	
	The exact break trough time has to be found o	out by the manufacturer of the
For the permanent contact gloves	protective gloves and has to be observed.	
For the permanent contact gloves made of the following materials ar	e	
suitable:	$\stackrel{\simeq}{}$ Butyl rubber, BR	
	Butoject (KCL, Art No. 897, 898)	
As protection from splashes glove	s	
made of the following materials ar		
suitable:	Fluorocarbon rubber (Viton)	
	Vitoject (KCL, Art_No. 890)	
	Nitrile rubber, NBR Camatril (KCL, 730, 731, 732, 733)	
Not suitable are gloves made of	Camatin (ICCL, 750, 751, 752, 755)	
the following materials:	Natural rubber, NR	
	Leather gloves	
	Strong material gloves	
Eye/face protection		
	C tightly sealed goggles	
Body protection:	Protective work clothing	
Body protection: SECTION 9: Physical and chemi		
SECTION 9: Physical and chem 9.1 Information on basic physic	ical properties	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information	ical properties al and chemical properties	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour:	ical properties al and chemical properties Light yellow	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour:	ical properties al and chemical properties Light yellow Characteristic	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point:	ical properties al and chemical properties Light yellow Characteristic Undetermined.	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point	ical properties al and chemical properties Light yellow Characteristic Undetermined.	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point:	ical properties al and chemical properties Light yellow Characteristic Undetermined.	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable.	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable.	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4)	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C Dynamic:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4) Not determined.	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C Dynamic: Solubility water: Vapour pressure at 20 °C:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4)	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C Dynamic: Solubility water: Vapour pressure at 20 °C: Density and/or relative density	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4) Not determined. Fully miscible. 23 hPa	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C Dynamic: Solubility water: Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4) Not determined. Fully miscible.	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C Dynamic: Solubility water: Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: 9.2 Other information	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4) Not determined. Fully miscible. 23 hPa	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C Dynamic: Solubility water: Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: 9.2 Other information Appearance:	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4) Not determined. Fully miscible. 23 hPa 1.02 g/cm ³	
SECTION 9: Physical and chemi 9.1 Information on basic physic General Information Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point Lower and upper explosion limit Lower: Upper: Flash point: Ignition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 20 °C Dynamic: Solubility water: Vapour pressure at 20 °C: Density and/or relative density Density at 20 °C: 9.2 Other information	ical properties al and chemical properties Light yellow Characteristic Undetermined. and boiling range 100 °C 0.9 Vol % 5.9 Vol % Not applicable. 225 °C 10 13 s (DIN 53211/4) Not determined. Fully miscible. 23 hPa	(Contd. on page 6



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.08.2022

Version number 2 (replaces version 1)

Revision: 24.08.2022

Trade name: Stone Cleaner

		(Contd. of page 5
 Important information on protection environment, and on safety. Auto-ignition temperature: Explosive properties: Solvent content: Organic solvents: Water: Solids content: 	n of health and Product is not selfigniting. Product does not present an explosion haz 12.1 % 66.6 % 27.4 %	ard.
 Information with regard to physical Explosives 		
• <u>Flammable gases</u> • <u>Aerosols</u>	Void	
 Oxidising gases Gases under pressure 	Void Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtu	Void <u>es</u>	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· <u>Self-heating substances and mixtur</u>	Void es	
· <u>Substances and mixtures, which</u> gases in contact with water	Void emit flammable	
· Oxidising liquids	Void	
 Oxidising solids Organic peroxides 	Void Void	
	Void	(2)
		(Contd. on page



FU

Page 7/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.08.2022 Version number 2 (replaces version 1) Revision: 24.08.2022 **Trade name: Stone Cleaner** (Contd. of page 6) · Corrosive to metals Void Desensitised explosives Void **SECTION 10: Stability and reactivity** 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability · Thermal decomposition / No decomposition if used according to specifications. conditions to be avoided: · 10.3 Possibility of hazardous No dangerous reactions known. reactions No further relevant information available. · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: · 10.6 Hazardous decomposition No dangerous decomposition products known. products: **SECTION 11: Toxicological information** • 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification: ATE (Acute Toxicity Estimates) >2,783-11,133 mg/kg (rat) Oral LD50 157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated Oral LD50 >500-2,000 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rat) LC50/48h 1-10 mg/l (Oncorhynchus mykiss) 112-34-5 2-(2-butoxyethoxy)ethanol Oral LD50 2,410 mg/kg (mouse) >2,000 mg/kg (rat) Dermal LD50 2,764 mg/kg (rbt) 97-54-1 isoeugenol 1,560 mg/kg (rat) Oral LD50 Dermal LD50 1,100 mg/kg (ATE) · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Causes serious eye damage. Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation · Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. (Contd. on page 8)



Page 8/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.08.2022

Version number 2 (replaces version 1)

Revision: 24.08.2022

Trade name:	Stone Cleaner	
-------------	---------------	--

<u>11.2 Information on other hazards</u>
 <u>Endocrine disrupting properties</u>
 <u>118-58-1 benzyl salicylate</u>

(Contd. of page 7)

List II

SECTION 12: Ecological information

· <u>12.1 Toxic</u>	zity		
· Aquatic toxicity:			
157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated			
EC50/48h	48h 1-10 mg/l (daphnia magna)		
EC10	>1,000 mg/l (BES)		
EC50/72h	h 1-10 mg/l (Scenedesmus subspicatus)		
112-34-5 2	112-34-5 2-(2-butoxyethoxy)ethanol		
EC50/24h	2,850 mg/l (daphnia ma	gna) (DIN 38412)	
EC50/96h	>100 mg/l (Desmodesm	nus subspicatus)	
	>100 mg/l (Scenedesm	us subspicatus)	
EC10/16h	1,170 mg/l (pseudomon	as putida)	
EC5	73 mg/l (Entosiphon sul	catum)	
EC50/48h	>100 mg/l (daphnia ma	gna)	
NOEC	>100 mg/kg (Desmodes	smus subspicatus)	
EC10	>1,995 mg/l (Klärschlan	nm: Atmungs-/Vermehrungshemmung)	
EC50/72h	>100 mg/l (Desmodesmus subspicatus)		
LC50/96h	1,300 mg/l (lepomis ma	crochirus)	
	>100 mg/l (Leuciscus id	lus)	
	1,150 mg/l (poecilia reti	culata)	
· <u>12.2 Persi</u>	stence and		
<u>degradab</u>		No further relevant information available.	
	ccumulative potential	No further relevant information available.	
12.4 Mobi	<u>lity in soil</u> Its of PBT and vPvB as	No further relevant information available.	
· PBT:		Not applicable.	
· vPvB:		Not applicable.	
12.6 Endo	crine disrupting	••	
properties		For information on endocrine disrupting properties see section 11.	
	· <u>12.7 Other adverse effects</u> · Additional ecological information:		
· General no		Do not allow product to reach ground water, water course or sewage system.	
		Must not reach sewage water or drainage ditch undiluted or unneutralised.	
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water			
SECTION 13: Disposal considerations			

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.08.2022

Version number 2 (replaces version 1)

Revision: 24.08.2022

Trade name: Stone Cleaner

		(Contd. of page 8)	
· European waste catalogue			
20 00 00		(HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND ES) INCLUDING SEPARATELY COLLECTED FRACTIONS	
20 01 00	separately collected fractions (except 15 01)		
20 01 29*	detergents containing hazardous substances		
<u>Uncleaned packaging:</u> <u>Recommendation:</u> <u>Recommended cleansing agents:</u>		Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Water, if necessary together with cleansing agents.	
SECTION 14: Transport information			
	u mber or ID number N, IMDG, IATA	Void	
 <u>14.2 UN proper shipping name</u> <u>ADR, ADN, IMDG, IATA</u> 		Void	
· <u>14.3 Transport hazard class(es)</u>			
· <u>ADR, ADN</u> · <u>Class</u>	N, IMDG, IATA	Void	
· 14.4 Packing group · ADR, IMDG, IATA		Void	
· 14.5 Envi · Marine po	ronmental hazards: Ilutant:	No	
[.] <u>14.6 Spec</u>	ial precautions for use	r Not applicable.	
· 14.7 Maritime transport in bulk according to IMO			
instrumer		Not applicable.	
· Transport/	Additional information:	Not dangerous according to the above specifications.	
· <u>UN</u> "Mode	el Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII

Conditions of restriction: 3, 55

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
 None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 \cdot Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article $\overline{5(3)}$)

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 10)

EU -



EU

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 2 (replaces version 1)

Revision: 24.08.2022

Trade name: Stone Cleaner

Printing date 24.08.2022

	(Contd. of page 9)		
 Regulation (EC) No 273/2004 on 	drug precursors		
None of the ingredients is listed.			
countries in drug precursors	ing down rules for the monitoring of trade between the Community and third		
None of the ingredients is listed.			
· National regulations:			
· Waterhazard class:	Water hazard class 2 (Self-assessment): hazardous for water.		
· Substances of very high concern (SVHC) according to REACH, Article 57			
None of the ingredients is listed.			
· <u>VOC EU</u>	122.9 g/l		
 <u>15.2 Chemical safety</u> 			
assessment:	A Chemical Safety Assessment has not been carried out.		
	n ⁻ present knowledge. However, this shall not constitute a guarantee for any specific tablish a legally valid contractual relationship.		
 Department issuing SDS: Date of previous version: Version number of previous version: Abbreviations and acronyms: 	Laboratory 28.06.2022 1 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association		

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

ELINCS: European List of Notified Chemical Substances

Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 1A

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2