

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	SX Decorators Premium Paintable Caulk Acrylic 310ml White
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
Recommended use	Sealant
Uses advised against	Not to be used in production of toys or childcare articles
1.3. Details of the supplier of the	safety data sheet
Company Name	
Siroflex Limited Dodworth Business Park, Dodworth South Yorkshire S75 3SP Tel: +44 (1226) 771600 Fax: +44 (1226) 771601 www.sirofle	
E-mail address	technical.siroflex@bostik.com
1.4. Emergency telephone numbe	r
J	+44 (1226) 771600 (Office Hours Only)
Further	NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service) 112
SECTION 2: Hazards identif	ication
2.1. Classification of the substance	e or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

[C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Ethylene glycol	203-473-3	107-21-1	0.1 - <1	STOT RE 2 (H373) Acute Tox. 4 (H302)	-	01-2119456816- 28-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	[C]	-	01-2119489379- 17-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.0015 - <0.01	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
Inhalation	IF exposed or concerned: Get medical advice/attention. Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	In the case of skin irritation or allergic reactions see a doctor. Wash skin with soap and water.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms	No information available.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to doctors	Treat symptomatically.
	······································
SECTION 5: Firefighting me	
SECTION 5: Firefighting me	
SECTION 5: Firefighting me	asures Use extinguishing measures that are appropriate to local circumstances and the
SECTION 5: Firefighting me <u>5.1. Extinguishing media</u> Suitable Extinguishing Media	asures Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available.
SECTION 5: Firefighting me <u>5.1. Extinguishing media</u> Suitable Extinguishing Media Unsuitable extinguishing media	asures Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available.
SECTION 5: Firefighting me 5.1. Extinguishing media Suitable Extinguishing Media Unsuitable extinguishing media 5.2. Special hazards arising from the	asures Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available. he substance or mixture
SECTION 5: Firefighting me 5.1. Extinguishing media Suitable Extinguishing Media Unsuitable extinguishing media 5.2. Special hazards arising from the Specific hazards arising from the chemical	asures Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No information available. he substance or mixture No information available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

Personal precautions	Ensure adequate ventilation.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	-
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep from freezing.
Recommended storage temperature	Do not freeze. Keep at temperatures between 5 and 35 °C.
7.3. Specific end use(s)	
Specific use(s) Sealant.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8: Exposure contro	ols/personal protection

8.1. Control parameters

Exposure Limits

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Ethylene glycol	TWA: 20 ppm	TWA: 10 mg/m ³
107-21-1	TWA: 52 mg/m ³	TWA: 20 ppm
	STEL: 40 ppm	TWA: 52 mg/m ³
	STEL: 104 mg/m ³	STEL: 40 ppm
	*	STEL: 104 mg/m ³
		STEL: 30 mg/m ³
		Sk*
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

	STEL: 12 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Ethylene glycol (107-21-1)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	106 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	35 mg/m³	

Titanium dioxide (13463-67-7)		
Туре	Derived No Effect Level (DNEL)	Safety factor
worker	10 mg/m ³	
Long term Local health effects		

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)				
Ethylene glycol (107-21-1)				
Туре	Exposure route	Derived No Effect Level	Safety factor	
		(DNEL)		
Consumer	Dermal	53 mg/kg bw/d		
Long term				
Systemic health effects				
Consumer	Inhalation	7 mg/m³		
Long term				
Local health effects				

Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	-
Consumer	Oral	700 mg/kg bw/d	
Long term			
Systemic health effects			

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer	Inhalation	1.2 mg/m ³		
Long term				
Systemic health effects				
Consumer	Dermal	0.345 mg/kg bw/d		
Long term				

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

Systemic health effects		

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)				
Ethylene glycol (107-21-1)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	10 mg/l			
Marine water	1 mg/l			
Freshwater sediment	37 mg/kg dry weight			
Marine sediment	3.7 mg/kg dry weight			
Soil	1.53 mg/kg dry weight			
Microorganisms in sewage treatment	199.5 mg/l			
Titanium dioxide (13463-67-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Marine water	0.0184 mg/l			
Freshwater sediment	1000 mg/kg			
Freshwater	0.184 mg/l			

Freshwater sediment	1000 mg/kg	
Freshwater	0.184 mg/l	
Marine sediment	100 mg/kg	
Soil	100 mg/kg	
Microorganisms in sewage treatment	100 mg/l	
Freshwater - intermittent	0.193 mg/l	
4.2 honzigothiozol 2/24) ong [PIT] (2624.22 5)		

1,2-benzisotniazoi-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 µg/l
Soil	3 mg/kg dry weight

8.2. Exposure controls

Eye/face protection

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Skin and body protection Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing. During spraying wear suitable respiratory equipment. **Respiratory protection**

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical	and chemical properties	
Physical state	Solid	
Appearance	Paste	
Colour	See section 1 for more information	
Odour	Characteristic.	
Odour threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point Initial boiling point and boiling range	$= 0 ^{\circ}C$ $= 100 ^{\circ}C$	

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

limits Lower flammability or explosive	No data available	
limits	Net employed a Net determination of	、 、
Flash point	Not applicable No data available °C No data available	, None known
Autoignition temperature	No data avallable	None known
Decomposition temperature	7 - 9	None known
pH	No data available	None known
pH (as aqueous solution) Kinematic viscosity	$> 21 \text{ mm}^2/\text{s}$	NOTE KHOWH
Dynamic viscosity	No data available	
	No data available Miscible in water	None known
Water solubility	No data available	None known
Solubility(ies) Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk Density	No data available	
Liquid Density	1.71	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information VOC Content (%)		
9.2.1. Information with regards to p Not applicable	physical hazard classes	
9.2.2. Other safety characteristics No information available		
SECTION 10: Stability and re	eactivity	
10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		

Stable under normal conditions.

Stability

Explosion data

Sensitivity to mechanicalNone.impactSensitivity to static dischargeNone.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

Hazardous decomposition Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Ethylene glycol	9530 µL/kg (Oryctolagus		> 2.5 mg/L (Rat)6 h	
		cuniculus)		
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h	
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	ATE = 0.25 mg/L	
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	-	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	Eye			Non-irritant
Respiratory or skin ser	sitisation	Based on available data, th	he classification crite	eria are not met.	

Titanium dioxide (13463-67-7)

Titanium dioxide (13463-67-7)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	Not a skin sensitiser
OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay	Mouse	Dermal	Not a skin sensitiser
Germ cell mutagenicity	Based on available d	ata, the classification criteria a	re not met.
Carcinogenicity	Based on available d	ata, the classification criteria a	re not met.
Reproductive toxicity	Based on available d	ata, the classification criteria a	re not met.
STOT - single exposure	Based on available d	ata, the classification criteria a	re not met.
STOT - repeated exposure	Based on available d	ata, the classification criteria a	re not met.
Aspiration hazard	Based on available d	ata, the classification criteria a	re not met.
11.2. Information on other hazar	ds		
11.2.1. Endocrine disrupting pro	operties		
Endocrine disrupting properties			
11.2.2. Other information			
Other adverse effects	No information availa	ble.	
SECTION 12: Ecological in	formation		

12.1. Toxicity

Ecotoxicity

c Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
6h, 16000 mg/L eri (Poecilia	0	EC50: =46300mg/L (48h, Daphnia magna)		
) 96 n	0 - LC50 96 h = 96h, 16000 mg/L neri (Poecilia	microorganisms 0 - LC50 96 h = EC50 = 10000 96h, 16000 mg/L mg/L 16 h neri (Poecilia EC50 = 620	microorganisms 0 - LC50 96 h = EC50 = 10000 EC50: 96h, 16000 mg/L mg/L 16 h =46300mg/L neri (Poecilia EC50 = 620 (48h, Daphnia ata) reticulata static) mg/L 30 min magna)	microorganisms D - LC50 96 h = EC50 = 10000 EC50: 96h, 16000 mg/L mg/L 16 h =46300mg/L neri (Poecilia EC50 = 620 (48h, Daphnia ata) reticulata static) mg/L 30 min magna)

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

			mg/L 30 min			
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-	-		
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5		LC50 (96hr) 2.15 mg/l Cyprinodon variegatus EPA 540/9-85-006		EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202	1	
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner		-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Test			
(TG 301 B)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Ethylene glycol	-1.36
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

ssessment
B PBT assessment does
ly
B PBT assessment does
ly
ot PBT / vPvB
ot PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:

Keep from freezing.

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special Provisions 14.7 Maritime transport in bulk according to IMO instruments	Not regulated Not regulated Not regulated NP None Not applicable
Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number 14.2 Proper Shipping Name	Not regulated

14.1	The second se	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Transport hazard class(es)	Not regulated

14.5 Hallspult liazalu ciass(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None
-	

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Legend

TWATWA (time-weighted average)STELSTEL (Short Term Exposure Limit)

SX Decorators Premium Paintable Caulk Acrylic 310ml White Date: 07.08.2023

Replaces: 18.03.2020 Ref: 0245.8.BB/DL

Ceiling	Ceiling Limit Value Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available			
Prepared By	Product Safety & Regulatory Affairs		
Revision date	13-Nov-2020		
Indication of changes			
Revision note	Not applicable.		
Training Advice	No information available		
Further information	No information available		

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet